EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 984 | "709".clas. and configur$ with (multi or multiple or many or several) near processor with system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:47 |
| L2 | 32 | "709".clas. and configur$ with (multi or multiple or many or several) near processor with system and processing near nodes | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:48 |
| L3 | 21 | "709".clas. and configur$ with (multi or multiple or many or several) near processor with system and processing near nodes and channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:48 |
| L4 | 0 | "709/200".ccls. and configur$ with (multi or multiple or many or several) near processor with system and processing near nodes and channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:48 |
| L5 | 0 | "709/200".ccls. and configur$ with (multi or multiple or many or several) near processor with system and processing near nodes | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:49 |
| L6 | 23 | "709/200".ccls. and configur$ with (multi or multiple or many or several) near processor with system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:49 |

| L7 | 29 | "709/218".ccls. and configur$ with (multi or multiple or many or several) near processor with system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:49 |
| L8 | 6 | 370/468.ccls. and configur$ with (multi or multiple or many or several) near processor with system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:49 |
| L9 | 0 | 398/89.ccls. and configur$ with (multi or multiple or many or several) near processor with system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:50 |
| L10 | 0 | 398/89.ccls. and configur$ with (multi or multiple or many or several) near processor and channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:50 |
| L11 | 1 | 398/89.ccls. and (multi or multiple or many or several) near processor and channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:50 |
| L12 | 2 | 398/140.ccls. and (multi or multiple or many or several) near processor and channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 08:51 |
| S1 | 5950 | configur$ with (multi or multiple or many or several) near processor with system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 11:58 |
| S2 | 5832 | configur$ with (multi or multiple) near processor with system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 11:58 |

| S3 | 347 | configur$ with (multi or multiple or many or several) near processor with system same node | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 11:59 |
| S4 | 22 | configur$ with (multi or multiple or many or several) near processor with system same node and channel with bandwidth and (direction or directional or one near way) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:03 |
| S5 | 0 | (communicate or communicating) with (plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:25 |
| S6 | 0 | communicating with (plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:27 |
| S7 | 2 | (plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:27 |

| S8 | 0 | (plurality or multiple) with node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer and destination near network near interface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:34 |
| S9 | 0 | transmit near buffer and destination near network near interface and source near network near interface and node and processing near (node or element) and channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:35 |
| S10 | 0 | transmit near buffer and destination near network near interface and source near network near interface and node and channel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:36 |
| S11 | 1 | transmit near buffer and destination near network near interface and source near network near interface and node | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/29 12:36 |

4/14/2008 8:51:51 AM
C:\ Documents and Settings\ mmcleod\ My Documents\ EAST\ Workspaces
\ Application_10815453.wsp